CURRICULUM VITAE

NAME: Yuan-Mei Liao **TITLE:** Associate Professor

AFFILIATION: Institute of Clinical Nursing, School of Nursing

National Yang-Ming University

ADDRESS: No. 155, Section 2, Li-Nong Street, Taipei City 112, Taiwan

School of Nursing, National Yang-Ming University

TELEPHONE: 886-2-28267347

FAX: 886-2-28202487

E-MAIL: ymliao@ym.edu.tw

EDUCATION

| University of North Carolina at Chapel Hill | North Carolina, USA | PhD |
|---|---------------------|-----|
| Syracuse University | New York, USA | MS |
| China Medical College | Tai-Chung, Taiwan | BA |

PROFESSIONAL EXPERIENCE

| Taipei Veterans General Hospital | 1989/8~1992/2 | Registered Nurse |
|---|---------------|---------------------|
| Taipei Medical College (University) | 1994/8~2005/7 | Lecturer |
| University of North Carolina at Chapel Hill | 2001/8~2005/5 | Research Assistant |
| Taipei Medical University | 2005/8~2009/1 | Assistant Professor |
| Taipei Medical University | 2009/2~2017/1 | Associate Professor |
| University of Michigan | 2012/6~2012/9 | Visiting Scholar |
| National Yang-Ming University | 2017/2~ | Associate Professor |

RESEARCH AREA

Adult Nursing, Symptom Assessment and Management, Urologic Health Care

Publication (2011-2016)

| Year | Authors/Title/Journal | IF | Category |
|------|---|-------|----------|
| 2011 | Chen YY, Lai YH, Shun SC, Chi NH, Tsai PS, *Liao YM. The Chinese | 3.561 | SCI |
| | Behavior Pain Scale for critically ill patients: Translation and psychometric | | |
| | testing. International Journal of Nursing Studies, 48(4), 438-448. (Nursing | | |
| | 1/116 = 0.86%) | | |
| 2011 | Pien LC, Chu H, Chen CW, Chang YS, <u>Liao YM</u> , Chen CH, Chou KR. | 1.384 | SCI |
| | Reliability and validity of a Chinese version of the Multidimensional Fatigue | | |
| | Symptom Inventory-Short Form (MFSI-SF-C). Journal of Clinical Nursing, | | |
| | 20(15-16), 2224-2232. (Nursing 34/116 = 29.3%) | | |
| 2011 | Chien LY, Chu H, Guo JL, Liao YM, Chang L, Chen CH, Chou KR. Caregiver | 2.699 | SCI |
| | support groups in patients with dementia: A meta-analysis. International | | |
| | Journal of Geriatric Psychiatry, 26(10), 1089-1098. (Psychiatry 54/139 = | | |
| | 38.9%) | | |
| 2012 | Chen PL, Chao HT, Chou KR, Huang HM, Cheng SY, Utian WH, *Liao YM. | 3.172 | SCI |
| | The Chinese Utian Quality of Life Scale for women around menopause: | | |
| | translation and psychometric testing. Menopause - The Journal of The North | | |
| | American Menopause Society, 19(4), 438-447. (Obstetrics & Gynecology | | |
| | 10/80 = 12.5%) | | |
| 2012 | Chan SF, Chen TH, Liao YM, Chou KR, Tsai PS. Development and | 3.561 | SCI |
| | preliminary validation of the Chinese version of the Sleep-Associated | | |
| | Monitoring Index. International Journal of Nursing Studies, 49(1), 54-64. | | |
| | (Nursing $1/116 = 0.86\%$) | | |
| 2012 | Cheng SY, Lai YH, Chen SC, Shun SC, LiaoYM, Tu SH, Chen CS, Hsiang | 1.384 | SCI |
| | CY, Chen CM. Changes in quality of life among newly diagnosed breast cancer | | |
| | patients in Taiwan. Journal of Clinical Nursing, 21(1-2), 70-79. (Nursing | | |
| | 34/116 = 29.3%) | | |
| 2013 | Liao YM, Hsu MI, Hsu CS, Lee CT, Chen K. Endometrial thickness in women | 1.413 | SCI |
| | with ovulatory dysfunction. Gynecological Endocrinology, 29(4), 315-318. | | |
| | (Obstetrics & Gynecology 57/80 = 71.3%) (Endocrinology & Metabolism = | | |
| | 117/133 = 88.0%) | | |
| 2013 | Hsieh CI, Lung AL, Chang L, Sampselle CM, Lin CC, *Liao YM. Prevalence, | 2.226 | SCI |
| | associated factors, and relationship to quality of life of lower urinary tract | | |
| | symptoms: A cross-sectional, questionnaire survey of cancer patients. | | |
| | International Journal of Clinical Practice, 67(6), 566-575. (Medicine, General | | |
| | & Internal $38/155 = 24.5\%$) | | |
| 2013 | Sacolo HN, Chung MH, Chu H, <u>Liao YM</u> , Chen CH, Ou KL, Chang LI, Chou | 3.057 | SCI |
| | KR. High Risk Sexual Behaviors for HIV among the In-School Youth in | | |
| | Swaziland: A Structural Equation Modeling Approach. PLoS One, 8(7), | | |
| | e67289. (Multidisciplinary Sciences 10/63 = 17.5%) | | |
| 2013 | <u>Liao YM</u> , Chen YT, Kuo LC, Chen PL. Factors associated with parental | 2.209 | SCI |
| | smoking in the presence of school-aged children: A cross-sectional study. BMC | | |
| | Public Health, 13(1), 819. (Public, Environmental & Occupational Health | | |
| | 58/173 = 33.5%) | | |
| 2013 | Niu SF, Chu H, Chen CH, Chung MH, Chang YS, <u>Liao YM</u> , Chou KR. A | 1.604 | SCI |
| | comparison of the effects of fixed- and rotating-shift schedules on nursing staff | | |
| | attention levels: A randomized trial. Biological Research for Nursing, 15(4), | | |
| | 443-450. (Nursing 25/116 = 21.6%) | | |
| 2014 | Chen YT, <u>Liao YM</u> , Chen PL. Development and psychometric testing of four | 0.628 | SSCI |
| | scales to measure perceptions and family influences on parental smoking in | | |
| | Taiwan. Children's Health Care. 43(4):308-326. (Public, Environmental & | | |
| | Occupational Health 138/153 = 90.2%) | | |

 $[*] Corresponding \ author \\$

Publication (2011-2016) (continued)

| Year | Authors/Title/Journal | IF | Category |
|------|--|-------|----------|
| 2014 | Chen YR, Hung KW, Tsai JC, Chu H, Chung MH, Chen SR, *Liao YM, OU | 3.057 | SCI |
| | KL, Chang YC, Chou KR. Efficacy of eye-movement desensitization and | | |
| | reprocessing for patients with posttraumatic-stress disorder: A meta-analysis of | | |
| | randomized controlled trials. PLoS One. 9(8):e103676. (Multidisciplinary | | |
| | Sciences $10/63 = 17.5\%$) | | |
| 2014 | Tsai HF, Chen YR, Chung MH, Liao YM, Chi MJ, Chang CC, Chou KR. | 2.017 | SCI |
| | Effectiveness of music intervention in ameliorating cancer patients' anxiety, | | |
| | depression, pain, and fatigue: A meta-analysis. Cancer Nursing. 37(6):E35-50. | | |
| | (Nursing 9/116 = 7.8%) | | |
| 2015 | Chen TF, Chou KR, <u>Liao YM</u> , Ho CH, Chung MH. Construct validity and | 1.384 | SCI |
| | reliability of the Chinese version of the Disaster Preparedness Evaluation Tool | | |
| | in Taiwan. Journal of Clinical Nursing. 24(7-8):1132-1143. (Nursing 34/116 = 20.304) | | |
| 2015 | 29.3%) | 2.561 | CCI |
| 2015 | Niu SF, Chung MH, Chu H, Tsai JC, Lin CC, <u>Liao YM</u> , Ou KL, O'Brien AP, | 3.561 | SCI |
| | Chou KR. Differences in cortisol profiles and circadian adjustment time between nurses working night shifts and regular day shifts: A prospective | | |
| | longitudinal study. International Journal of Nursing Studies. 52(7):1193-1201. | | |
| | (Nursing $1/116 = 0.86\%$) | | |
| 2016 | Dang TL, Lai FC, Lin YK, Chou KR, Miao NF, *Liao YM. Psychometric | 1.359 | SCI |
| 2010 | evaluation of the Vietnamese Hemodialysis Stressor Scale. Clinical Nursing | 1.337 | 501 |
| | Research. (In press, accepted on Jan 14, 2016). (Nursing 36/116 = 31.0%) | | |
| 2016 | Yang CY, Miao NF, Lee TY, Tsai JC, Yang HL, Chen WC, Chung MH, Liao | 1.384 | SCI |
| 2010 | YM, Chou KR. The effect of a researcher designated music intervention on | 1.00 | 201 |
| | hospitalised psychiatric patients with different levels of anxiety. Journal of | | |
| | Clinical Nursing. 25(5-6):777-787. (Nursing 34/116 = 29.3%) | | |
| 2016 | Cheng TY, Tarng DC, <u>Liao YM</u> , Lin PC. Effects of systematic nursing | 1.384 | SCI |
| | instruction on a low-phosphorus diet, serum phosphorus level and pruritus of | | |
| | patients on haemodialysis. Journal of Clinical Nursing. (In press, accepted on | | |
| | Jun 30, 2016). (Nursing 34/116 = 29.3%) | | |
| 2016 | Chi MJ, Chou KR, Pei D, Hwang JS, Quinn L, Chung MH, *Liao YM. Effects | 6.616 | SCI |
| | and factors related to adherence to diabetes pay-for-performance program: | | |
| | Analyses of a National Health Insurance claimed database. Journal of the | | |
| | American Medical Directors Association. 17(7):613-619. (Geriatrics & | | |
| 2015 | Gerontology 2/49 = 4.01%) Hay LE Lies VM Lei EC Tool DC Paraficial Effects of Diofeedheels essisted | 2.561 | COT |
| 2016 | Hsu LF, <u>Liao YM</u> , Lai FC, Tsai PS. Beneficial Effects of Biofeedback-assisted | 3.561 | SCI |
| | Pelvic Floor Muscle Training in Patients with Urinary Incontinence after | | |
| | Radical Prostatectomy: A Systematic Review and Meta-analysis. International Journal of Nursing Studies. $60(2016)$: 99-111. (Nursing $1/116 = 0.86\%$) | | |
| 2016 | Cheng SY, Kuo SF, Tseng IJ, *Liao YM. Exploring the changes in and | Nil | Others |
| 2010 | correlates of shoulder function in females receiving breast cancer-related | 1111 | Outers |
| | surgery (in Chinese). New Taipei Journal of Nursing. 18(2): 39-51. | | |
| 2016 | Niu SF, Miao NF, <u>Liao YM</u> , Chi MJ, Chung MH, Chou KR. Sleep Quality in | 1.604 | SCI |
| 2010 | Different Work Schedules: A Longitudinal Study of Nursing Staff Rosters. | 1.00+ | 501 |
| | Biological Research for Nursing. (In press, accepted on Aug 31, 2016). | | |
| | (Nursing $25/116 = 21.6\%$) | | |
| 2017 | Tsai CF, Tsai PS, Liu CL, Lin YK, Ling YL, Tseng IJ, *Liao YM. Psychometric | 2.017 | SCI |
| | Evaluation of the Chinese Breast Cancer Prevention Trial Symptom Scale. | | |
| | Cancer Nursing. (In press, accepted on Feb 21, 2017). (Nursing 9/116 = 7.8%) | | |

^{*}Corresponding author

Publication (2003 - 2010)

| Year | Authors/Title/Journal | IF | Category |
|------|---|----------------|----------|
| 2003 | Boyington AR, Dougherty MC, <u>Liao YM</u> . (2003). Analysis of interactive continence health information on the Web. Journal of Wound Ostomy Continence Nurse, 30(5), 280-286. (Nursing 69/116 = 59.48%) | 0.969 3.561 | SCI |
| 2006 | * <u>Liao YM</u> , Dougherty MC, Liou YS, Tseng IJ. (2006). Pelvic floor muscle training effect on urinary incontinence knowledge, attitudes, and severity: An experimental study. International Journal of Nursing Studies, 43(1), 29-37. (Nursing 1/116 = 0.86%) | | SCI |
| 2006 | * <u>Liao YM</u> . (2006). Rehabilitation Care for Female Urinary Incontinence. Hu Li Za Zhi, 53(5):13-19. | Nil | Others |
| 2006 | * <u>Liao YM</u> , Dougherty MC, Boyington AR, Lynn MR, Palmer MH. (2006). Developing and validating a Chinese instrument to measure lower urinary tract symptoms among employed women in Taiwan. Nursing Outlook, 54(6), 353-61. (Nursing 4/116 = 3.45%) | 2.187 | SCI |
| 2007 | * <u>Liao YM</u> , Dougherty MC, Biemer PP, Boyington AR, Liao CT, Palmer MH, Lynn MR. (2007). Prevalence of lower urinary tract symptoms among female elementary school teachers in Taipei. International Urogynecology Journal, 18(10), 1151-1161. (Urology & Nephrology 38/77 = 49.35%) (Obstetrics & Gynecology 41/80 = 51.25%) | 1.834 | SCI |
| 2008 | * <u>Liao YM</u> , Dougherty MC, Biemer PP, Liao CT, Palmer MH, Boyington AR, Connolly A. (2008). Factors related to lower urinary tract symptoms among a sample of employed women in Taipei. Neurourology and Urodynamics, 27(1), 52-59. (Urology & Nephrology 18/77 = 23.38%) | 3.128 | SCI |
| 2009 | Liao YM , Yang CY, Kao CC, Dougherty MC, Lai YH, Chang Y, Chen HL, Chang LI. (2009). Prevalence and impact on quality of life of lower urinary tract symptoms among a sample of employed female nurses in Taipei: A questionnaire survey. International Journal of Nursing Studies, 46(5), 633-644. (Nursing 1/116 = 0.86%) | 3.561 | SCI |
| 2010 | Huang CJ, Hu HT, Fan YC, <u>Liao YM</u> , Tsai PS. (2010). Associations of breakfast skipping with obesity and health-related quality of life: Evidence from a national survey in Taiwan. International Journal of Obesity, 34(4), 720-725. (Nutrition & Dietetics 6/80 = 7.50%) (Endocrinology & Metabolism 18/133 = 13.53%) | 5.337 | SCI |
| 2010 | Cheng SY, Tu SH, Yang YL, Chen CS, <u>Liao YM</u> , Hsiang CY, Chen CM. (2010). Arm Exercise Promotion Scale: Instrument validation. Journal of Advanced Nursing, 66(5), 1142-1150. (Nursing 11/116 = 9.48%) | 1.917 | SCI |
| 2010 | Huang HM, Chao HT, Lin KC, Cheng SY, *Liao YM. (2010). Menopausal symptoms and factors related to quality of life among a sample of women 45-60 years of age (in Chinese). New Taipei Journal of Nursing, 12(1), 7-20. | Nil | Others |

^{*}Corresponding author

Publication (2011-2016)

(Conference Paper)

| | ice raper) | | | | |
|-------|--|--|--|--|--|
| Year | Author/Title/Conference | | | | |
| 2011 | Cheng SY, Chen CM, <u>Liao YM</u> . (2011). Changes of quality of life among newly diagnosed breast | | | | |
| | cancer patients in Taiwan. International Council of Nurses Conference 2011 May. | | | | |
| 2011 | *Liao YM, Chang L, Cheng SY. (2011). Effects of an exercise health promotion program on | | | | |
| | women's urogenital health, perianal surface electromyography, and health related quality of life. 22nd | | | | |
| | STTI International Nursing Research Congress 2011 July. | | | | |
| 2012 | *Liao YM, Lung AL, Chu KM. (2012). Contributing factors of lower urinary tract symptoms, and | | | | |
| | relationship between lower urinary tract symptoms and quality of life. Sigma Theta Tau | | | | |
| | International's 23rd International Nursing Research Congress 2012 July. | | | | |
| 2013 | * <u>Liao YM</u> , Chang CJ, Chang LI, Cheng SY. (2013). Exploring the relationships of sleep quality, | | | | |
| | lower urinary tract symptoms, and diabetic control among a sample of female diabetic patients. Sigma | | | | |
| | Theta Tau International's 24th International Nursing Research Congress 2013 July. | | | | |
| 2013 | *Liao YM, Li CH, Chang LI, Chang CC, Chang CJ, Pei D. (2013). The time since the diagnosis of | | | | |
| | diabetes might be linked to lower urinary tract symptoms. Neurology and Urodynamics, | | | | |
| | (32):700-701. | | | | |
| 2014 | *Liao YM, Chang CJ, Cheng SY, Pei D. (2014). Exploring relationships of lower urinary tract | | | | |
| | symptoms, sleep quality, and diabetes control. American Diabetes Association (ADA) 74th Scientific | | | | |
| | Sessions 2014 Jun. | | | | |
| 2015 | Wu TY, Tsai PS, *Liao YM. (2015). The influence of hectic work on chronic constipation and quality | | | | |
| | of life among female nurses. 18th East Asian Forum of Nursing Scholars (EAFONS) 2015 Feb. | | | | |
| 2015 | *Liao YM, Li CH, Cheng SY, Chang LI. (2015). Prevalence of and factors related to urinary | | | | |
| | incontinence and nocturia, and relationship between nocturia and sleep quality among female patients | | | | |
| | with diabetes. Sigma Theta Tau International's 26th International Nursing Research Congress 2015 | | | | |
| 2017 | Jul. | | | | |
| 2015 | Tsai CF, Liu CL, *Liao YM. (2015). Association between treatment-related symptoms and quality of | | | | |
| | life among a sample of patients with breast cancer. Sigma Theta Tau International Honor Society of | | | | |
| 2015 | Nursing / 26th International Nursing Research Congress 2015 Jul. | | | | |
| 2015 | Chen YS, Wu TY, Yeh HT, Kao LC, *Liao YM. (2015). Critical care nurses' pain assessment and | | | | |
| | management: A survey in Taipei. Sigma Theta Tau International Honor Society of Nursing / 43th | | | | |
| 2016 | Biennial Convention 2015 Nov. | | | | |
| 2016 | Lee CH, *Liao YM. (2016). Prevalence and associated factors of lower urinary tract symptoms in a | | | | |
| | sample of female with Type 2 diabetes. 19th East Asian Forum of Nursing Scholars (EAFONS) 2016 Mar. | | | | |
| 2016 | | | | | |
| 2016 | Wu TY, *Liao YM. (2016). Nurses' knowledge and associated factors related to critically ill patients' | | | | |
| 14.00 | pain assessment/management. 19th East Asian Forum of Nursing Scholars (EAFONS) 2016 Mar. | | | | |

^{*}Corresponding author

RESEARCH PROJECTS

| Project title | Role | Funding agency | Project period |
|---|------|--|--------------------------|
| Effects of self-management on urologic health among female patients with diabetes. | PI | Ministry of Science and Technology | 2015/8/1 - 2018/7/31 |
| Exploring the effects of an exercise program on female diabetic patients' health. | PI | National Science Council | 2012/8/1 - 2015/7/31 |
| Exploring the relationships of lower urinary tract symptoms, sleep quality, and diabetes control among female diabetic patients. | PI | Taipei Medical University & Wan-Fang Hospital | 2012/5/1 - 2013/4/30 |
| Exploring female diabetic patients' incidence of lower urinary tract symptoms (LUTS), factors related to LUTS, correlation between LUTS and quality of life (QOL), and effects of an intervention on diabetes control, lower urinary tract health, QOL, and knowledge about LUTS. | PI | National Science Council | 2011/8/1 - 2012/7/31 |
| Vitamin D in women with polycystic ovary syndrome. | CI | Taipei Medical University &Wan-Fang Hospital | 2011/4/1 - 2012/3/31 |
| Prevalence and impact on quality of life of lower urinary tract symptoms among a sample of cancer patients. | PI | Taipei Medical University Hospital | 2009/1/1 - 2010/12/31 |
| Incidence of and factors related to urogenital symptoms around the menopause, correlation between urogenital symptoms and health related quality of life (HRQL), and the effects of an exercise health promotion program on women's urogenital health, HRQL, and knowledge. | PI | National Science Council | 2008/8/1 - 2011/7/31 |
| Exploring the prevalence of lower urinary tract symptoms (LUTS), factors related to LUTS, relation between LUTS and quality of life, and the effect of continence promotion programs among female school teachers in Taipei. | PI | National Science Council | 2007/8/1 - 2009/1/31 |
| Lower urinary tract symptoms (LUTS) and urinary tract infections (UTI) around the menopause and factors related to female LUTS and UTI. | PI | National Science Council | 2006/8/1 - 2007/10/31 |
| The prevalence of lower urinary tract symptoms (LUTS), factors related to LUTS and the correlation between LUTS and quality of life among female nurses in Taipei | PI | Taipei Medical University | 2005/8/1 - 2006/7/31 |